	<u> </u>	OR CERTIFICATE OF CORRECTION	)N
DATE	9-9-08	~-	Paper No.:
DATE .	: ART UNIT 2874	<del></del>	•
i	: ART UNIT/	ection for Appl. No.: 10/189382	1019231
SUBJECT		· · · · · · · · · · · · · · · · · · ·	
· ·	•	ertificate of correction within 7	Jays.
FOR IFW FIL	<del></del>		
the IFW appli		corrections as shown in the Coatter should be introduced, no	
	lete the response (see beent code COCX.	tow) and forward the complete	ed response to scanning
FOR PAPER	R FILES.		•
Please reviev	w the requested changes	corrections as shown in the at (see below) and forward it wit	tached certificate of n the file to:
South Palm Should	icates of Correction Bra Tower - 9A22 Location 7580	the added Tertifica	tes of Correction Branch 8-9390 ext.
Thank You	For Your Assistance	<u></u>	
	t for issuing the above-i on the appropriate box.	dentified correction(s) is her	eby:
	Approved	All changes apply.	
. 🗖	Approved in Part	Specify below which o	hanges do not apply.
0	Denied	State the reasons for	denial below.
Comments:			· · · · · · · · · · · · · · · · · · ·
	•		4
			,
			<del></del>
		•	
			•
		· .	